

CARAVAN SITES AND CONTROL OF DEVELOPMENT ACT 1960

LICENCE CONDITIONS: RESIDENTIAL CARAVAN SITES

2008 Model Standards - version

Schedule of Conditions attached to Site Licence Ref: **BDC 24**

Granted to **Mr Henry Wormington**

Address: **Vicarage Farm, Holmes Lane, Stoke Prior, Bromsgrove, Worcestershire, B60 4HQ**

on the **31st January 2023**

in respect of a maximum of **1** units on land situate at: **Storeys Lodge, Vicarage Farm, Holmes Lane, Stoke Prior, Bromsgrove, Worcestershire, B60 4HQ**

IMPORTANT NOTE

The legislation contained within the Licence is current from the time of issue. It is however, the responsibility of the Licence holder to make themselves aware of any such amendments or changes to this legislation and ensure compliance. Clarification of such can be gained from contacting the Local Authority.

1. The Boundaries and Plan of the Site

- (i) The boundaries of the site from any adjoining land shall be clearly marked by a man made or natural feature. ***N.B location of unit is within the parameters set by the Certificate of Lawfulness (20/00176/CPE)**
- (ii) No caravan or combustible structure shall be positioned within 2 meters of the boundary of the site. ***N.B location of unit is within the parameters set by the Certificate of Lawfulness (20/00176/CPE)**
- (iii) (a) A plan of the site shall be supplied to the local authority upon the application for a license and, thereafter whenever there is a material change to the boundaries or layout of the site, or at any other time on the demand of the local authority.

(b) The plan supplied must clearly illustrate the layout of the site including all relevant structures, features and facilities on it and shall be of suitable quality.

2. Density, Spacing and Parking Between Caravans

- (v) The density of caravans on a site shall be determined in accordance with relevant health and safety standards and fire risk assessments.

Transitional Arrangements

Existing caravans, ramps, steps, car ports, garages fences, hedges and other combustible structures which would otherwise contravene these conditions **may remain** (subject to officers risk assessment) until there is a change of ownership of the site, it is substantially altered, rebuilt or removed from its present position. In this event these items or any of their replacement shall fully comply with the Model Standards conditions within a period of time agreed with the Local Authority.

When considering each of these items and whether to implement Transitional Arrangements a risk assessment will be undertaken by officers in order to ascertain the potential for this combustible item to increase the risk of fire spread between units.

3. Footpaths and Pavements

- (i) Every caravan shall be connected to a road by a footpath with a hard surface which shall be maintained in good condition.

4. Lighting

- (i) Roads, communal footpaths and pavements shall be adequately lit between dusk and dawn to allow the safe movement of pedestrians and vehicles around the site during the hours of darkness.

5. Bases

- (i) Every unit must stand on a concrete base or hard-standing.
- (ii) The base must extend over the whole area occupied by the unit, and must project a sufficient distance outwards from its entrance or entrances to enable occupants to enter and leave safely. The hard standings must be constructed to the industry guidance, current at the time of siting, taking into account local conditions.

6. Maintenance of Common Areas, including Grass, Vegetation and Trees

- (i) Every part of the site to which the public have access shall be kept in a clean and tidy condition.
- (ii) Every road, communal footpath and pavement on the site shall be maintained in a good condition, good repair and clear of rubbish.
- (iii) Grass and vegetation shall be cut and removed at frequent and regular intervals.
- (iv) Trees within the site shall (subject to the necessary consents) be maintained.
- (v) Any cuttings, litter or waste shall be removed from the immediate surrounds of a pitch.

7. Supply & Storage of Gas etc

- (i) Gas (including natural gas) and oil installations, and the storage of supplies shall meet current statutory requirements, relevant Standards and Codes of Practice.

8. Electrical Installations

- (i) On the site there shall be installed an electricity network of adequate capacity to meet safely all reasonable demands of the caravans and other facilities and services within it.
- (ii) The electrical network installations shall be subject to regulation under current relevant legislation and must be designed, installed, tested, inspected and maintained in accordance with the provisions of the current relevant statutory requirements.
- (iii) Any work on electrical installations and appliances shall be carried out only by persons who are competent to do the particular type of work being undertaken, in accordance with current

relevant statutory requirements.

- (iv) Any work on the electrical network within the site shall be done by a competent person fully conversant with the appropriate statutory requirements.

9. Water Supply

- (i) All pitches on the site shall be provided with a water supply sufficient in all respects to meet all reasonable demands of the caravans situated on them.
- (ii) All new water supplies shall be in accordance with all current legislation, regulations and relevant British or European Standards.
- (iii) All repairs and improvements to water supplies and installations shall be carried out to conform with current legislation and British or European Standards.
- (iv) Work on water supplies and installations shall be carried out only by persons who are qualified in the particular type of work being undertaken and in accordance with current relevant legislation and British or European Standards.

10. Drainage and Sanitation

- (i) Surface water drainage shall be provided where appropriate to avoid standing pools of water.
- (ii) There shall be satisfactory provision for foul and waste water drainage either by connection to a public sewer or sewage treatment works or by discharge to a properly constructed septic tank or cesspool approved by the local authority.
- (iii) All drainage and sanitation provision shall be in accordance with all current legislation and British or European Standards.
- (iv) Work on drains and sewers shall be carried out only by persons who are qualified in the particular type of work being undertaken and in accordance with current legislation and British or European standards.

11. Domestic Refuse Storage & Disposal

- (i) All refuse disposal shall be in accordance with all current legislation and regulations.

12. Communal Vehicular Parking

Suitably surfaced parking spaces shall be provided to meet the requirements of residents and their visitors.

13. Communal Recreation Space

On sites where it is practical to do so, suitable space equivalent to about one tenth of the total area of the site shall be allocated for recreational purposes, unless in the local authority's opinion there are adequate recreational facilities within a close proximity to the site.

15. Flooding

- (i) The site owner shall establish whether the site is at risk from flooding by referring to the Environment Agency's Flood Map.

- (ii) Where there is risk from flooding the site owner shall consult the Environment Agency for advice on the likelihood of flooding, the depths and velocities that might be expected, the availability of a warning service and on what appropriate measures to take.

16. Fire safety measures where the Regulatory Reform (Fire Safety) Order 2005 does not apply (such as single unit sites and those sites solely occupied by family groups)

- (i) The standards in this paragraph only apply if the site is **not** subject to the Regulatory Reform (Fire Safety) Order 2005.

Fire Points

- (ii) These shall be located so that no caravan or site building is more than 30 meters from a fire point. Equipment provided at a fire point shall be housed in a weather-proof structure, easily accessible and clearly and conspicuously marked "FIRE POINT".

Fire Fighting Equipment

- (iii) Where water standpipes are provided:
 - (a) The water supply shall be of sufficient pressure to project a jet of water not less than 5 meters from the nozzle.
 - (b) There shall be a reel that complies with the current British or European Standard, with a hose not less than 35 meters long, having a means of connection to a water standpipe (preferably a screw thread connection) with a water supply of sufficient pressure and terminating in a small hand nozzle.
 - (c) Hoses shall be housed in a red box and marked "HOSE REEL". Access to the fire point shall not be obstructed or obscured.
- (iv) Where hydrants are provided, hydrants shall conform to the current British or European Standard.
- (v) Access to hydrants and other water supplies shall not be obstructed or obscured.
- (vi) Where standpipes are not provided or the water pressure or flow is not sufficient, each fire point shall be provided with water extinguishers (2 x 9 litres) which comply with the current British or European Standard.

Fire Warning

- (vii) A suitable means of raising the alarm in the event of a fire shall be provided at each fire point.

Maintenance and Testing of Fire Fighting Equipment

- (viii) All alarm and fire fighting equipment shall be installed, tested and maintained in working order by persons who are qualified in the particular type of work being undertaken and be available for inspection by, or on behalf of, the licensing authority or the Fire and Rescue Service.
- (ix) A record shall be kept of all testing and remedial action taken.
- (x) All equipment susceptible to damage by frost shall be suitably protected.

Fire Notices

(xi) A clearly written and conspicuous notice shall be provided and maintained at each fire point to indicate the action to be taken in case of fire. This notice should include the following:

“On discovering a fire:

I. Ensure the caravan or site building involved is evacuated.

II. Raise the alarm.

III. Call the fire brigade (the nearest phone is sited at).”